


*\*Dimensions and illustrations are approximate and for reference only.*

### Sequence® 750 Series - Model 3600SEQ12

Our best seller. The compact model 750 series delivers big flow for little power. Great for smaller and simple ponds (3,000 gallons or less).



Flow At Total Dynamic Head	2'	4'	6'	8'	10'
GPM	54	47	40	31	20
GPH	3240	2820	2400	1860	1200



**5 YEAR LIMITED WARRANTY**





**8 FOOT CORD SET**



**TEFC FAN COOLED MOTOR**

MODEL	3600SEQ12
INLET	2"
DISCHARGE	1.5"
MAX FLOW (gph)	3600
MAX HEAD (feet)	12'
MAX POWER (watts)	142
MAX CURRENT (amps)	1.25
@ (volts)	115
MOTOR HP	1/8
MOTOR ENCLOSURE	TEFC
IMPELLER	8





*\*Dimensions and illustrations are approximate and for reference only.*

### Sequence® 750 Series - Model 4200SEQ12

Our best seller. The compact model 750 series delivers big flow for little power. Great for smaller and simple ponds (3,000 gallons or less).




**5 YEAR LIMITED  
WARRANTY**



**8 FOOT  
CORD SET**



**TEFC FAN COOLED  
MOTOR**



Flow At Total Dynamic Head	2'	4'	6'	8'	10'
GPM	62	54	45	36	25
GPH	3720	3240	2700	2160	1500

MODEL	4200SEQ12
INLET	2"
DISCHARGE	1.5"
MAX FLOW (gph)	4200
MAX HEAD (feet)	12'
MAX POWER (watts)	154
MAX CURRENT (amps)	1.39
@ (volts)	115
MOTOR HP	1/8
MOTOR ENCLOSURE	TEFC
IMPELLER	9