


**Dimensions and illustrations are approximate and for reference only.*

Sequence® High-Speed Champion Primer Series - Model 6300PRM77

The Sequence® High-Speed Champion Primer series is made for those demanding applications where the constraint for high pressure is not subject to negotiation. The Power Primer series integrates a basket-type pre-filter and self-priming capabilities into one efficient package for trouble-free operation.



Flow At Total Dynamic Head	10'	20'	40'	60'	80'
GPM	98	89	70	45	0
GPH	5880	5340	4200	2700	0



5 YEAR LIMITED WARRANTY





8 FOOT CORD SET



TEFC FAN COOLED MOTOR


MODEL	6300PRM77
INLET	2"
DISCHARGE	2"
MAX FLOW (gph)	6300
MAX HEAD (feet)	77'
MAX POWER (watts)	1496
MAX CURRENT (amps)	8.7
@ (volts)	230
MOTOR HP	2
MOTOR TYPE	56YZ
MOTOR ENCLOSURE	ODP



*Dimensions and illustrations are approximate and for reference only.

Sequence® High-Speed Champion Primer Series - Model 8100PRM81

The Sequence® High-Speed Champion Primer series is made for those demanding applications where the constraint for high pressure is not subject to negotiation. The Power Primer series integrates a basket-type pre-filter and self-priming capabilities into one efficient package for trouble-free operation.



Flow At Total Dynamic Head	10'	20'	40'	60'	80'
GPM	127	117	95	68	10
GPH	7620	7020	5700	4080	600



5 YEAR LIMITED WARRANTY





8 FOOT CORD SET



TEFC FAN COOLED MOTOR


MODEL	8100PRM81
INLET	2"
DISCHARGE	2"
MAX FLOW (gph)	8100
MAX HEAD (feet)	81'
MAX POWER (watts)	1807
MAX CURRENT (amps)	9.8
@ (volts)	230
MOTOR HP	2
MOTOR TYPE	56YZ
MOTOR ENCLOSURE	ODP



*Dimensions and illustrations are approximate and for reference only.

Sequence® High-Speed Champion Primer Series - Model 9300PRM83

The Sequence® High-Speed Champion Primer series is made for those demanding applications where the constraint for high pressure is not subject to negotiation. The Power Primer series integrates a basket-type pre-filter and self-priming capabilities into one efficient package for trouble-free operation.



Flow At Total Dynamic Head	10'	20'	40'	60'	80'
GPM	147	137	114	85	33
GPH	8820	8220	6840	5100	1980



5 YEAR LIMITED WARRANTY



8 FOOT CORD SET



TEFC FAN COOLED MOTOR

MODEL	9300PRM83
INLET	2"
DISCHARGE	2"
MAX FLOW (gph)	9300
MAX HEAD (feet)	83'
MAX POWER (watts)	2222
MAX CURRENT (amps)	11.4
@ (volts)	230
MOTOR HP	2
MOTOR TYPE	56YZ
MOTOR ENCLOSURE	ODP